Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2	"5901286".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 11:09
S2	0	"5901286".pn. and cach$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 11:09
S3	2	"5901286".pn. and request$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 11:10
S4	1	"5901286".pn. and ((memory or stor$3 or buffer$3 or queu$3 or cach$3)with (request$1 or message$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 11:11
S5	1	"5901286".pn. and (memory or stor$3 or buffer$3 or queu$3 or cach$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 11:12
S6	1	("5901286".pn. and (memory or stor$3 or buffer$3 or queu$3 or cach$3)) and (request$1 or message$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 11:15
S7	0	"5901286".pn. and pars$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 11:15
S8	1	"5901286".pn. and script$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 11:27
S9	2	("20020026514").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 11:30

S10	1	"5901286".pn. and object$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 11:30
S11	0	"5901286".pn. and attribute$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 11:31
S12	28	"5901286".URPN.	USPAT	OR	OFF	2004/03/31 11:31
S13	24	"5901286".URPN. and (object$1 or attribute$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 11:33
S14	6	("5901286".URPN. and (object$1 or attribute$1)) and cach$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 11:35
S15	0	"5901286".pn. and soap	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 11:35
S16	0	soap and "5901286".URPN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 11:35
S17	65157	soap	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 11:35
S18	99	soap and 719/3$$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 12:44
S19	3	(soap and 719/3$$.ccls.) and 709/223-224.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 12:51
S20	4	"5826040".pn. or "5453933".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 11:37

S21	3	("5826040".pn. or "5453933".pn.) and object$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 11:52
S22	1044	tool adj manag$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 12:44
S23	4022	719/3$$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 12:44
S24	17	(tool adj manag$6) and 719/3$$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 12:51
S25	288	(http adj request$1) and soap	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 12:51
S26	4955	709/223-224.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 12:51
S27	33	709/223-224.ccls. and ((http adj request$1) and soap)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 12:54
S28	1	connection$1 and "5901286".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 12:55
S29	155810	child and parent	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 12:56
S30	425	child same parent same object$1 same attribute$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 12:56

S31	25	(child same parent same object$1 same attribute$1) and 719/3$$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 13:21
S32	1	"5881237".pn. and (fault$1 or malfunction$1 or error$1 or misconfigur$8)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 13:26
S33	2961	714/4.ccls. or 714/24-26.ccls. or 714/31.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 13:27
S34	2796	unable near5 (communicate or transmit or forward)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 13:28
S35	29	(unable near5 (communicate or transmit or forward)) and (714/4.ccls. or 714/24-26.ccls. or 714/31.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 13:28
S36	20	((unable near5 (communicate or transmit or forward)) and (714/4.ccls. or 714/24-26.ccls. or 714/31.ccls.)) and network$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 13:29
S37	16296	diagnostic near2 (unit or device or terminal or machine or server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 14:11
S38	173	(diagnostic near2 (unit or device or terminal or machine or server)) and (714/4.ccls. or 714/24-26.ccls. or 714/31.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 13:29
S39	1	((diagnostic near2 (unit or device or terminal or machine or server)) and (714/4.ccls. or 714/24-26.ccls. or 714/31.ccls.)) and (unable near5 (communicate or transmit or forward))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 13:33

S40	27	("5042027" | "5247517" | "5315580" | "5371883" | "5459837" | "5586121" | "5627766" | "5627886" | "5640505" | "5646864" | "5666481" | "5696701" | "5732218" | "5781703" | "5787253" | "5854889" | "5862346" | "5870557" | "5870559" | "5881237" | "5884244" | "5964891" | "6031528" | "6230287" | "6298457" | "6304982" | "6363053"). PN.	USPAT	OR	OFF	2004/03/31 13:30
S41	15	"5964891".URPN.	USPAT	OR	OFF	2004/03/31 13:31
S42	339	communicat$4 near4 disable near4 (device or unit or terminal or client)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 13:34
S43	8	able with communicat$4 with disable with (device or unit or terminal or client)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 13:43
S44	23	("4589068" | "5179695" | "5355498" | "5394544" | "5434998" | "5473599" | "5537653" | "5608867" | "5630049" | "5701488" | "5809248" | "5812748" | "5815653" | "5832503" | "5870540" | "5870601" | "5958049" | "5964891" | "5974562" | "5978936" | "6000041" | "6199033" | "6453426").PN.	USPAT	OR	OFF	2004/03/31 13:36
S45	3926	communicat$4 with (crash$2 or disable$2) with (device$1 or unit$1 or terminal$1 or client$1 or system$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 14:13
S46	35	(communicat$4 with (crash$2 or disable$2) with (device$1 or unit$1 or terminal$1 or client$1 or system$1)) and (714/4.ccls. or 714/24-26.ccls. or 714/31.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 13:45
S47	24	((communicat$4 with (crash$2 or disable$2) with (device$1 or unit$1 or terminal$1 or client$1 or system$1)) and (714/4.ccls. or 714/24-26.ccls. or 714/31.ccls.)) and @ad<"19990501"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 14:12
S48	0	vaughn.xp. and diagnos$8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 13:48

S49	27	("5042027" | "5247517" | "5315580" | "5371883" | "5459837" | "5586121" | "5627766" | "5627886" | "5640505" | "5646864" | "5666481" | "5696701" | "5732218" | "5781703" | "5787253" | "5854889" | "5862346" | "5870557" | "5870559" | "5881237" | "5884244" | "5964891" | "6031528" | "6230287" | "6298457" | "6304982" | "6363053"). PN.	USPAT	OR	OFF	2004/03/31 13:59
S50	79	"5870559".URPN.	USPAT	OR	OFF	2004/03/31 14:10
S51	1	(diagnostic near2 (unit or device or terminal or machine or server)) and "5870559".URPN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 14:11
S52	43192	"714"/$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 14:11
S53	29269	diagnostic near2 (unit or device or terminal or machine or server or system)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 14:11
S54	570	(diagnostic near2 (unit or device or terminal or machine or server or system)) and "714"/$.ccls. and network$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 14:12
S55	965	714/4.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 14:12
S56	42	714/4.ccls. and ((diagnostic near2 (unit or device or terminal or machine or server or system)) and "714"/$.ccls. and network$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 14:12
S57	21	(714/4.ccls. and ((diagnostic near2 (unit or device or terminal or machine or server or system)) and "714"/$.ccls. and network$3)) and @ad<"19990501"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 14:14
S58	1243	communicat$4 near4 (crash$2 or disable$2)near4 (device$1 or unit$1 or terminal$1 or client$1 or system$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 14:14

S59	47	(communicat$4 near4 (crash$2 or disable$2)near4 (device$1 or unit$1 or terminal$1 or client$1 or system$1)) and (diagnostic near2 (unit or device or terminal or machine or server or system))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 14:14
S60	18	((communicat$4 near4 (crash$2 or disable$2)near4 (device$1 or unit$1 or terminal$1 or client$1 or system$1)) and (diagnostic near2 (unit or device or terminal or machine or server or system))) and @ad<"19990501"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 14:17
S61	16	(communicat$4 near4 (crash$2 or disable$2)near4 (device$1 or unit$1 or terminal$1 or client$1 or system$1)) and (714/4.ccls. or 714/24-26.ccls. or 714/31.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 14:30
S62	23	("4589068" | "5179695" | "5355498" | "5394544" | "5434998" | "5473599" | "5537653" | "5608867" | "5630049" | "5701488" | "5809248" | "5812748" | "5815653" | "5832503" | "5870540" | "5870601" | "5958049" | "5964891" | "5974562" | "5978936" | "6000041" | "6199033" | "6453426").PN.	USPAT	OR	OFF	2004/03/31 14:18
S63	946	tool and 719/3$$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 14:30
S64	6157	(http adj request$1)(child same parent$1) and tool$1 and object$1 and attribute$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 14:31
S65	151	(http adj request$1)and(child same parent$1) and tool$1 and object$1 and attribute$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 14:31
S66	15	((http adj request$1)and(child same parent$1) and tool$1 and object$1 and attribute$1) and 719/3$$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 14:41
S67	192	tool adj server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 14:43

S68	57	(tool adj server) and @ad<"20000201"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/13 14:46
S69	18	((tool adj server) and @ad<"20000201") and http and request$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 14:45
S70	6	(http adj request$1) same (tool$1 adj object$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 14:47
S71	24	(http adj request$1) and (tool$1 adj object$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 14:48
S72	291	definition$1 same (object near3 (librar$3 or dictionary))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 14:50
S73	1	(definition$1 same (object near3 (librar$3 or dictionary))) and (http adj request$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 14:49
S74	135	(http adj request$1) and (object near3 (librar$3 or dictionary))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 14:50
S75	72	((http adj request$1) and (object near3 (librar$3 or dictionary))) and @ad<"20000201"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 14:51
S76	210	tool adj (dictionary or library)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 14:51
S77	7	(tool adj (dictionary or library)) and 719/3$$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 15:01

S78	51	reed.inv. and object$1 and authenticat$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 15:02
S79	17	(reed.inv. and object$1 and authenticat$4) and http	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 15:03
S80	1	"5862325".pn. and (http near3 request$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 15:05
S81	12181	cach$3 near5 (request$1 or message$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 15:05
S82	0	(cach$3 near5 (request$1 or message$1)) and "5901286".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 15:05
S83	0	"5901286".pn. and cookie$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 15:06
S84	1	"6332163".pn. and cach$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 15:06
S85	1	"6332163".pn. and (cach$3 with (request$1 or message$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 15:15
S86	1	("6332163".pn. and (cach$3 with (request$1 or message$1))) and child	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 15:22
S87	2	helm.inv. and fortin.inv.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 15:23

S88	0	(helm.inv. and fortin.inv.) and request$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 15:23
S89	0	(helm.inv. and fortin.inv.) and child	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 15:25
S90	0	(helm.inv. and fortin.inv.) and cach$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 15:39
S91	5398	358/1.15.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 15:44
S92	2430	719/31$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 15:44
S93	4	358/1.15.ccls. and 719/31$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 15:45
S94	88969	(request$1 or establish$3) near3 (connection or session$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 15:51
S95	2	("5901286".pn. and request$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 15:51
S96	90806	(request$3 or establish$3) near3 (connection or session$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 15:51
S97	1910	709/227.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 15:51

S98	77	709/227.ccls. and 719/3$$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 15:52
S99	51	(709/227.ccls. and 719/3$$.ccls.) and ((request$3 or establish$3) near3 (connection or session$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 15:52
S100	14	((709/227.ccls. and 719/3$$.ccls.) and ((request$3 or establish$3) near3 (connection or session$1))) and tool$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 15:52
S101	16	((709/227.ccls. and 719/3$$.ccls.) and ((request$3 or establish$3) near3 (connection or session$1))) and (object adj orient$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 15:53
S102	468	709/208.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 15:53
S103	8	709/208.ccls. and 719/3$$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 15:53
S104	73335	(wireless or cellular or mobile) same (session$1 or connection$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/02 11:38
S105	4547	(check$3 or monitor$3) near5 availability	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/02 11:38
S106	54	((wireless or cellular or mobile) same (session$1 or connection$1)) same ((check$3 or monitor$3) near5 availability)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/02 11:38
S107	30	(((wireless or cellular or mobile) same (session$1 or connection$1)) same ((check$3 or monitor$3) near5 availability)) and @ad<"20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/02 11:51

S10 8	95753	establish$4 near4 (session$1 or connection$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/02 11:39
S10 9	110670	(establish$4 or request$3) near4 (session$1 or connection$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/02 11:40
S11 0	21	((establish$4 or request$3) near4 (session$1 or connection$1)) and ((((wireless or cellular or mobile) same (session$1 or connection$1)) same ((check$3 or monitor$3) near5 availability)) and @ad<"20001222")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/02 11:44
S11 1	1150	((establish$4 or request$3) near4 (session$1 or connection$1)) near8 (proxy or cache)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/02 11:50
S11 2	0	(((establish$4 or request$3) near4 (session$1 or connection$1)) near8 (proxy or cache)) and (((establish$4 or request$3) near4 (session$1 or connection$1)) and ((((wireless or cellular or mobile) same (session$1 or connection$1)) same ((check$3 or monitor$3) near5 availability)) and @ad<"20001222"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/02 11:41
S11 3	4336	(database$1 or repositor$3) same ((wireless or cellular or mobile) same (session$1 or connection$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/02 11:44
S11 4	47	((database$1 or repositor$3) same ((wireless or cellular or mobile) same (session$1 or connection$1))) and (((establish$4 or request$3) near4 (session$1 or connection$1)) near8 (proxy or cache))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/02 11:45
S11 5	4	(((database$1 or repositor$3) same ((wireless or cellular or mobile) same (session$1 or connection$1))) and (((establish$4 or request$3) near4 (session$1 or connection$1)) near8 (proxy or cache))) and ((check$3 or monitor$3) near5 availability)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/02 11:47
S11 6	249	discovery same ((wireless or cellular or mobile) same (session$1 or connection$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/02 11:47

S11 7	145	(discovery same ((wireless or cellular or mobile) same (session$1 or connection$1))) and ((establish$4 or request$3) near4 (session$1 or connection$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/02 11:47
S11 8	8	((discovery same ((wireless or cellular or mobile) same (session$1 or connection$1))) and ((establish$4 or request$3) near4 (session$1 or connection$1))) and ((check$3 or monitor$3) near5 availability)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/02 11:50
S11 9	110670	((establish$4 or request$3) near4 (session$1 or connection$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/02 11:50
S12 0	75	(((establish$4 or request$3) near4 (session$1 or connection$1))) and discovery and ((wireless or cellular or mobile) same (session$1 or connection$1)) and ((check$3 or monitor$3) near5 availability)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/02 11:51
S12 1	37	((((establish$4 or request$3) near4 (session$1 or connection$1))) and discovery and ((wireless or cellular or mobile) same (session$1 or connection$1)) and ((check$3 or monitor$3) near5 availability)) and @ad<"20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/02 11:53
S12 2	8840	synchroniz$8 same (database$1 or repositor$3 or cach$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/02 11:55
S12 3	1499	(synchroniz$8 same (database$1 or repositor$3 or cach$3)) and ((wireless or cellular or mobile) same (session$1 or connection$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/02 11:55
S12 4	31	((synchroniz$8 same (database$1 or repositor$3 or cach$3)) and ((wireless or cellular or mobile) same (session$1 or connection$1))) and ((check$3 or monitor$3) near5 availability) and discovery and (((establish$4 or request$3) near4 (session$1 or connection$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/02 11:59
S12 5	12023	"455"/$.ccls. and ((wireless or cellular or mobile) same (session$1 or connection$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/02 12:00

S12 6	311	("455"/$.ccls. and ((wireless or cellular or mobile) same (session$1 or connection$1))) and discovery	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/02 12:01
S12 7	5	(("455"/$.ccls. and ((wireless or cellular or mobile) same (session$1 or connection$1))) and discovery) and ((check$3 or monitor$3) near5 availability)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/02 12:00
S12 8	12	(("455"/$.ccls. and ((wireless or cellular or mobile) same (session$1 or connection$1))) and discovery) and (synchroniz$8 same (database$1 or repositor$3 or cach$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/02 12:03
S12 9	295	(synchroniz$8 same (database$1 or repositor$3 or cach$3)) and "455"/$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/02 12:03
S13 0	19620	"707"/$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/02 12:03
S13 1	75536	"455"/$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/02 12:03
S13 2	78	"455"/$.ccls. and "707"/$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/02 12:04
S13 3	6	("455"/$.ccls. and "707"/$.ccls.) and (synchroniz$8 same (database$1 or repositor$3 or cach$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/02 13:57
S13 4	2	"6574668".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/02 13:58
S13 5	2	("20020026514").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/08 16:48

S13 6	2	("20030099402").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR		OFF	2004/04/08 17:44
S13 7	2	("6415323").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR		OFF	2004/04/08 17:45
S13 8	2	("6611872").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR		OFF	2004/04/08 17:46
S13 9	2	("6667700").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR		OFF	2004/04/08 17:46
S14 0	0	(tool adj object$1) same (webpage$1 or (web adj page$1) or (web adj document$1) or html)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR		OFF	2004/04/13 14:30
S14 1	42	(tool adj object$1) and (webpage$1 or (web adj page$1) or (web adj document$1) or html)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR		OFF	2004/04/13 14:32
S14 2	6112	control$4 near3 (access or action$1) near4 (interface or tool)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR		OFF	2004/04/13 14:33
S14 3	21	helm.inv. and andrew	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR		OFF	2004/04/13 14:36
S14 4	12	"5592600".URPN.	USPAT	OR		OFF	2004/04/13 14:34
S14 5	11117	telefonaktiebolaget.asn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR		OFF	2004/04/13 14:36

S14 6	2	telefonaktiebolaget.asn. and helm	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/13 14:37
S14 7	0	(telefonaktiebolaget.asn. and helm) and request$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/13 14:37
S14 8	0	(telefonaktiebolaget.asn. and helm) and tool$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/13 14:37
S14 9	1	telefonaktiebolaget.asn. and fortin	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/13 14:38
S15 0	1	telefonaktiebolaget.asn. and boucher	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/13 14:38
S15 1	352	telefonaktiebolaget.asn. and tool$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/13 14:38
S15 2	78	(telefonaktiebolaget.asn. and tool$1) and model	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/13 14:39
S15 3	4256	tool near2 manag$8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/13 14:40
S15 4	10	(tool near2 manag$8) and telefonaktiebolaget.asn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/13 14:45
S15 5	102	ellis.inv. and raymond	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/13 14:46

S156	77	(ellis.inv. and raymond) and @ad<"20000201"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/13 14:46
S157	12	("4672185" | "4888473" | "4930086" | "5097421" | "5237322" | "5387993" | "5389769" | "5412644" | "5536128" | "5701330" | "5742238" | "5867389").PN.	USPAT	OR	OFF	2004/04/13 14:50
S158	1	"6418352".URPN.	USPAT	OR	OFF	2004/04/13 14:49
S159	16	"5742238".URPN.	USPAT	OR	OFF	2004/04/13 14:50
S160	0	domain adj logic adj corp	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 15:11
S161	236	domain adj logic	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 15:11
S162	6	S161 and ellis	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 15:11
S163	364	asyst	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 15:11
S164	0	S163 and ellis.inv.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 15:12
S165	0	S161 and S163	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 15:32
S166	6	"6470227".pn. or "6463352".pn. or "6658571".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 15:36

S16 7	1	S166 and (webpage$1 or html or http$1 or (web adj page$1) or url$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 18:05
S16 8	7	"6349341".pn. or "5291416".pn. or "6708223".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 15:36
S16 9	25	"5291416".uref.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 15:36
S17 0	6	(S168 or S169 or S166) and (webpage$1 or hypertext$1 or html or http$1 or (web adj page$1) or url$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 15:38
S17 1	9	(S168 or S169 or S166) and (webpage$1 or hypertext$1 or html or http$1 or (web adj page$1) or url$1 or gui)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 15:47
S17 2	2	(S168 or S169 or S166) and (webpage$1 or hypertext$1 or html or http$1 or (web adj page$1) or url$1 or gui) and pars$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 16:00
S17 3	1	S172 and client$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 15:58
S17 4	2	S166 and client$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 15:58
S17 5	1	S172 and cach$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 16:00
S17 6	0	S168 and cach$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 16:08

S17 7	1	"6470227".pn. and (internet or wan or internet or network)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 16:09
S17 8	1	S177 and client$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 16:13
S17 9	1	S177 and type$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 16:14
S18 0	2	"6463352".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 16:14
S18 1	1	S180 and type$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 16:21
S18 2	1	S181 and edit$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 16:22
S18 3	1	S181 and pars$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 16:23
S18 4	0	S177 and pars$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 16:25
S18 5	1	S177 and respon$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 16:25
S18 6	1	S177 and respon$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 16:27

S18 7	1	S186 and request$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 16:26
S18 8	0	S186 and url$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 16:27
S18 9	1	S186 and address$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 18:04
S19 0	2	"6463352".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 18:04
S19 1	1	S190 and ((chang$3 or modif$9 or edit$3) with (attribute$1 or object$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 18:07
S19 2	1	S190 and (webpage$1 or html$1 or http$1 or (web adj page$1) or url$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 18:54
S19 3	1	S190 and ((webpage$1 or html$1 or http$1 or (web adj page$1) or url$1) same (modif$10 or alter$3 or chang$3 or edit$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 18:07
S19 4	2	"6470227".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 18:07
S19 5	1	S191 and ((chang$3 or modif$9 or edit$3) with (attribute$1 or object$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 18:07
S19 6	1	S195 and ((chang$3 or modif$9 or edit$3) with (attribute$1 or object$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 18:07

S19 7	1	S194 and ((chang$3 or modif$9 or edit$3) with (attribute$1 or object$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 18:10
S19 8	2	(S190 or S194) and attribute$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 18:12
S19 9	78	http near5 dir	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 18:12
S20 0	136	http and definitions and (child adj object$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 18:12
S20 1	2	(S190 or S194) and script$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 18:16
S20 2	1	S190 and url$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 18:19
S20 3	1	S190 and (port$1 or socket$1 or path$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 18:51
S20 4	1	S190 and (port$1 or socket$1 or path$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 18:52
S20 5	6	"6470227".UREF. OR "6463352".UREF.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 18:53
S20 6	3	S205 and (webpage$1 or HYPERTEXT OR html$1 or http$1 or (web adj page$1) or url$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 18:57

S20 7	31	("4590550" | "4967381" | "5196997" | "5586041" | "5646870" | "5654903" | "5715181" | "5719495" | "5761064" | "5790977" | "5841676" | "5883437" | "5930138" | "5964643" | "5978071" | "5991699" | "5995912" | "6027842" | "6055463" | "6163801" | "6240329" | "6303395" | "6370448" | "6370487" | "6424876" | "6445969" | "6470227" | "6487472" | "6499007" | "6528219" | "6532427").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/12/22 18:55
S20 8	5	("6115646" | "6256676" | "6389588" | "6442748" | "6470227").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/12/22 18:56
S20 9	13	("4141069" | "4725970" | "5307260" | "5357439" | "5493501" | "5691906" | "5694325" | "5850345" | "5873251" | "5974246" | "6021359" | "6434440" | "6470227").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/12/22 18:56
S21 0	3	("6408218" | "6463352" | "6564154"). PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/12/22 18:57
S21 1	9	(S207 OR S208 OR S209 OR S210) and (webpage$1 or HYPERTEXT OR html$1 or http$1 or (web adj page$1) or url$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 18:58
S21 2	6	S211 AND (DEFINITION$1 OR LIBRARY OR ATTRIBUTE$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 19:00
S21 3	2	"6658571".PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 19:01
S21 4	10	("20010037450" | "5457798" | "5504814" | "5764889" | "6047323" | "6131165" | "6243692" | "6247127" | "6289458" | "6321337").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/12/22 19:01
S21 5	2	"6463352".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 23:00
S21 6	1	S215 and url$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 23:08

S21 7	1	S215 and object$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 23:09
S21 8	1	S215 and (html or webpage$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 23:11
S21 9	1	S215 and (connection$1 or session$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 23:15
S22 0	2	S215 and stor$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 23:16
S22 1	0	S215 and memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 23:16
S22 2	2	"6470227".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 23:17
S22 3	1	S222 and memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 23:17
S22 4	5098	(allocat$4 or creat$4 or generat$4) near4 socket$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/04 14:06
S22 5	1715	(first adj protocol) with (second adj protocol)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/04 14:07
S22 6	0	S224 same S225	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/04 14:07

S22 7	29	S224 and S225	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/04 14:08
S22 8	9764	releas$3 with socket$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/04 14:08
S22 9	0	S228 same S225	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/04 14:08
S23 0	1	S228 and S225	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/04 14:23
S23 1	4	"6470227".pn. or "6463352".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/04 14:24
S23 2	3	S231 and (interface or gui)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/04 14:26
S23 3	1	S232 and browser$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/04 14:40
S23 4	2	S232 and (internet or web or html or url)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/04 14:40
S23 5	2	S232 and (http or internet or web or html or url)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/04 14:41
S23 6	2	S231 and (http or internet or web or html or url or browser$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/04 14:41

S23 7	2	"6470227".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/14 12:18
S23 8	0	S237 and (redirect$4 or intermedia$6 or prox$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/14 12:17
S23 9	2	"6463352".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/14 12:19
S24 0	0	S239 and (redirect$4 or intermedia$6 or prox$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/14 12:17
S24 1	8	"6470227".uref.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/14 12:18
S24 2	16	"6470227"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/14 13:41
S24 3	11	"6463352"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/14 13:41
S24 4	5	(S242 or S243) and (prox$3 or intermedia$3 or redirect$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/14 12:22
S24 5	35	("20020065895" | "20020138168" | "20030002634" | "20030109951" | "4590550" | "4967381" | "5196997" | "5586041" | "5646870" | "5654903" | "5715181" | "5761064" | "5790977" | "5841676" | "5862054" | "5930138" | "5964643" | "5978071" | "5991699" | "5995912" | "6027842" | "6055463" | "6163801" | "6240329" | "6303395" | "6370448" | "6370487" | "6424876" | "6445969" | "6470227" | "6487472" | "6499007" | "6528219" | "6532427" | "6539271").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/14 12:20

S24 6	13	("4141069" | "4725970" | "5307260" | "5357439" | "5493501" | "5691906" | "5694325" | "5850345" | "5873251" | "5974246" | "6021359" | "6434440" | "6470227").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/14 12:21
S24 7	26	("4607256" | "4796194" | "4807108" | "5014207" | "5325287" | "5469361" | "5485620" | "5499188" | "5546301" | "5576946" | "5591299" | "5751580" | "5777876" | "5841660" | "5867382" | "5875108" | "5903455" | "6122556" | "6148239" | "6415192" | "6415193" | "6424878" | "6438441" | "6442446" | "6453210" | "6470227").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/14 12:21
S24 8	5	("6115646" | "6256676" | "6389588" | "6442748" | "6470227").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/14 12:21
S24 9	68	(S245 or S246 or S247 or S248) and @ad<"20000201"	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/14 12:22
S25 0	68	S249 and @ad<"20000201"	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/14 12:28
S25 1	18	S249 and (prox$3 or intermedia$3 or redirect$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/14 12:28
S25 2	296	tool adj server$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/14 12:28
S25 3	38	S252 and @ad<"20000201"	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/14 13:38
S25 4	170140	remote$3 near5 (manag$8 or supervis$4 or control$4)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/14 13:38
S25 5	231	tool adj server$1	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/14 13:38
S25 6	60	S254 and S255	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/14 13:38
S25 7	2	S256 and @ad<"20000201"	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/14 13:39
S25 8	1072	workflow and S254	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/14 13:38

S259	20220	cutting adj machine$1	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/14 13:39
S260	393	S259 and S254	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/14 13:39
S261	16	browser$1 and S260	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/14 13:39
S262	0	S261 and @ad<"20000201"	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/14 13:39
S263	1191	tool adj manag$8	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/14 13:39
S264	239	S263 and S254	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/14 13:39
S265	82	S264 and @ad<"20000201"	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/14 13:40
S266	10	S259 and S263	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/14 13:40
S267	16	"6470227"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/14 13:41
S268	11	"6463352"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/14 13:41
S269	6	(S267 or S268) and S254	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/14 13:49
S270	17	"6634008"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/14 13:44
S271	12	S270 and remote$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/14 13:44

S27 2	16	(S267 or S268) and remote$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/14 13:52
S27 3	411	asyst	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/14 13:52
S27 4	61	S273 and remote$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/14 13:52
S27 5	9	S273 and client$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/14 16:21
S27 6	2	"6886037".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/14 16:21